




High Speed Cutting
& High Hard Cutting




Micro Diameter

Type No. 型號	Diameter 刃徑 d1	Corner R 圓角 R	Flute Length 刃長 l1	O. A. L. 全長 l3	Shank Dia. 柄徑 d2
2RMAL0102R	1.0	R 0.2	2.5	50	4
2RMAL01502R	1.5	R 0.2	4	50	4
2RMAL01505R	1.5	R 0.5	4	50	4
2RMAL0202R	2.0	R 0.2	5	50	4
2RMAL0205R	2.0	R 0.5	5	50	4
2RMAL02502R	2.5	R 0.2	6	50	4
2RMAL02505R	2.5	R 0.5	6	50	4
2RMAL0302R	3.0	R 0.2	8	50	4
2RMAL0305R	3.0	R 0.5	8	50	4
2RMAL0310R	3.0	R 1.0	8	50	4
2RMAL0402R	4.0	R 0.2	10	50	4
2RMAL0405R	4.0	R 0.5	10	50	4
2RMAL0410R	4.0	R 1.0	10	50	4
2RMAL0505R	5.0	R 0.5	12	50	6
2RMAL0510R	5.0	R 1.0	12	50	6
2RMAL0602R	6.0	R 0.2	15	50	6
2RMAL0605R	6.0	R 0.5	15	50	6
2RMAL0610R	6.0	R 1.0	15	50	6
2RMAL0615R	6.0	R 1.5	15	50	6
2RMAL0620R	6.0	R 2.0	15	50	6
2RMAL0805R	8.0	R 0.5	20	60	8
2RMAL0810R	8.0	R 1.0	20	60	8
2RMAL0815R	8.0	R 1.5	20	60	8
2RMAL0820R	8.0	R 2.0	20	60	8
2RMAL1005R	10.0	R 0.5	25	75	10
2RMAL1010R	10.0	R 1.0	25	75	10
2RMAL1015R	10.0	R 1.5	25	75	10
2RMAL1020R	10.0	R 2.0	25	75	10
2RMAL1025R	10.0	R 2.5	25	75	10
2RMAL1030R	10.0	R 3.0	25	75	10
2RMAL1205R	12.0	R 0.5	30	75	12
2RMAL1210R	12.0	R 1.0	30	75	12
2RMAL1215R	12.0	R 1.5	30	75	12
2RMAL1220R	12.0	R 2.0	30	75	12
2RMAL1225R	12.0	R 2.5	30	75	12
2RMAL1230R	12.0	R 3.0	30	75	12

d1 (mm)	R(mm) tolerance	d1 (mm) tolerance
1.0	+0.02 0	0 -0.02
1.5	+0.02 0	0 -0.02
2.0	+0.02 0	0 -0.02
2.5	+0.02 0	0 -0.02
3.0	+0.02 0	0 -0.02
4.0	+0.02 0	0 -0.02
5.0	+0.02 0	0 -0.02
6.0	+0.02 0	-0.005 -0.025
8.0	+0.02 0	-0.01 -0.025
10.0	+0.02 0	-0.01 -0.03
12.0	+0.02 0	-0.01 -0.025

Shank(mm) (h6)	d2(mm) tolerance
Ø 4	0 -0.008
Ø 6	0 -0.008
Ø 8	0 -0.008
Ø 10	0 -0.009
Ø 12	0 -0.011

極細微粒碳化鎢 圓鼻 2刃立銑刀
Micro Grain Carbide, Corner-radius, 2-flute, End Mills



Micro Diameter

Type No. 型號	Diameter 刃徑 d1	Corner R 圓角 R	Flute Length 刃長 l1	O. A. L. 全長 l3	Shank Dia. 柄徑 d2
2RM0102R	1.0	R 0.2	2.5	50	4
2RM01502R	1.5	R 0.2	4	50	4
2RM01505R	1.5	R 0.5	4	50	4
2RM0202R	2.0	R 0.2	5	50	4
2RM0205R	2.0	R 0.5	5	50	4
2RM02502R	2.5	R 0.2	6	50	4
2RM02505R	2.5	R 0.5	6	50	4
2RM0302R	3.0	R 0.2	8	50	4
2RM0305R	3.0	R 0.5	8	50	4
2RM0310R	3.0	R 1.0	8	50	4
2RM0402R	4.0	R 0.2	10	50	4
2RM0405R	4.0	R 0.5	10	50	4
2RM0410R	4.0	R 1.0	10	50	4
2RM0505R	5.0	R 0.5	12	50	6
2RM0510R	5.0	R 1.0	12	50	6
2RM0602R	6.0	R 0.2	15	50	6
2RM0605R	6.0	R 0.5	15	50	6
2RM0610R	6.0	R 1.0	15	50	6
2RM0615R	6.0	R 1.5	15	50	6
2RM0620R	6.0	R 2.0	15	50	6
2RM0805R	8.0	R 0.5	20	60	8
2RM0810R	8.0	R 1.0	20	60	8
2RM0815R	8.0	R 1.5	20	60	8
2RM0820R	8.0	R 2.0	20	60	8
2RM1005R	10.0	R 0.5	25	75	10
2RM1010R	10.0	R 1.0	25	75	10
2RM1015R	10.0	R 1.5	25	75	10
2RM1020R	10.0	R 2.0	25	75	10
2RM1025R	10.0	R 2.5	25	75	10
2RM1030R	10.0	R 3.0	25	75	10
2RM1205R	12.0	R 0.5	30	75	12
2RM1210R	12.0	R 1.0	30	75	12
2RM1215R	12.0	R 1.5	30	75	12
2RM1220R	12.0	R 2.0	30	75	12
2RM1225R	12.0	R 2.5	30	75	12
2RM1230R	12.0	R 3.0	30	75	12



High Speed Cutting
& High Hard Cutting

d1 (mm)	R(mm) tolerance	d1 (mm) tolerance
1.0	+0.02 0	0 -0.02
1.5	+0.02 0	0 -0.02
2.0	+0.02 0	0 -0.02
2.5	+0.02 0	0 -0.02
3.0	+0.02 0	0 -0.02
4.0	+0.02 0	0 -0.02
5.0	+0.02 0	0 -0.02
6.0	+0.02 0	-0.005 -0.025
8.0	+0.02 0	-0.01 -0.025
10.0	+0.02 0	-0.01 -0.03
12.0	+0.02 0	-0.01 -0.025

Shank(mm) (h6)	d2(mm) tolerance
Ø 4	0 -0.008
Ø 6	0 -0.008
Ø 8	0 -0.008
Ø 10	0 -0.009
Ø 12	0 -0.011