


TC

F1




Type	Dimensions(mm)					Coated cemented carbide										Cermet		Cemented carbide							
	L	ØI.C	S	ød	r	KBC710	KBC715	KBC720	KBC725	KBC730	KBG202	KBM710	KBM720	KBD102	KBD120	KBD125	KBD130	KLТ530	KLТ530C	KLТ310	KLТ340	KLТ051	KLТ110	KLТ120	
TCMT06T104-F1	6.4	3.97	1.98	2.2	0.4		○																		
TCMT06T108-F1	6.4	3.97	1.98	2.2	0.8		○																		
TCMT090202-F1	9.6	5.56	2.38	2.5	0.2	●		●				○						○						○	
TCMT090204-F1	9.6	5.56	2.38	2.5	0.4	●	★	●				○						●		○					
TCMT090208-F1	9.6	5.56	2.38	2.5	0.8				○						○										
TCMT110202-F1	11	6.35	2.38	2.8	0.2			●			●		○												
TCMT110204-F1	11	6.35	2.38	2.8	0.4	●	★	●	★			●				●		○							
TCMT110208-F1	11	6.35	2.38	2.8	0.8	○	○	●	○		●		○	○											○
TCMT16T302-F1	16.5	9.525	3.97	4.4	0.2		○																		
TCMT16T304-F1	16.5	9.525	3.97	4.4	0.4	●	○	●			○	○			●			●							
TCMT16T308-F1	16.5	9.525	3.97	4.4	0.8	○	○	●										○							○

★ Recommended grade

● Available grade

○ Make-to-order

Applicable tool




TC

F2



F3



Type	Dimensions(mm)					Coated cemented carbide										Cermet	Cemented carbide								
	L	Ø1.C	S	ød	r	KBC710	KBC715	KBC720	KBC725	KBC730	KBG202	KBM710	KBM720	KBD110	KBD102	KBD120	KBD125	KLT530	KLT530C	KLT310	KLT340	KLT051	KLT110	KLT120	
TCMT090204-F2	9.6	5.56	2.38	2.5	0.4	●	○	●	○			○					●								
TCMT090208-F2	9.6	5.56	2.38	2.5	0.8	○		●	○																
TCMT110204-F2	11	6.35	2.38	2.8	0.4	●	○	●	○	○	●	●		●		●	○								
TCMT110208-F2	11	6.35	2.38	2.8	0.8	●		●	○							●									
TCMT16T304-F2	16.5	9.525	3.97	4.4	0.4	●	★	●	★	●		●		○	●	○									
TCMT16T308-F2	16.5	9.525	3.97	4.4	0.8	●	★	●	★	●		●		●	●	●							○		
TCMT16T312-F2	16.5	9.525	3.97	4.4	1.2			●		●		○													
TCMT090204-F3	9.6	5.56	2.38	2.5	0.4			○																	
TCMT090208-F3	9.6	5.56	2.38	2.5	0.8												○							●	
TCMT110204-F3	11	6.35	2.38	2.8	0.4			○																	
TCMT110208-F3	11	6.35	2.38	2.8	0.8			○																	
TCMT16T304-F3	16.5	9.525	3.97	4.4	0.4	○		●																	
TCMT16T308-F3	16.5	9.525	3.97	4.4	0.8	●		●		●	○			●		●									
TCMT16T312-F3	16.5	9.525	3.97	4.4	1.2	○		●						●	○	●								○	
TCMT220408-F3	22	12.7	4.76	5.5	0.8		○	●		○		●													

★ Recommended grade


● Available grade

○ Make-to-order

Applicable tool



TC□□



Type	Dimensions(mm)					Coated cemented carbide										Cemented carbide								
	L	ØI.C	S	ød	r	KBC710	KBC715	KBC720	KBC725	KBC730	KBG130	KBG202	KBG135	KBD110	KBD102	KBD120	KBD125	KBD130	KLT310	KLT340	KLT051	KLT110	KLT120	
TCMT220408	22	12.7	4.76	5.5	0.8	○		●							○				○					○
TCMW110204	11	6.35	2.38	2.8	0.4											○			○				●	○
TCMW16T304	16.5	9.525	3.97	4.4	0.4														○					
TCMW16T308	16.5	9.525	3.97	4.4	0.8											○			○					
TCMW16T312	16.5	9.525	3.97	4.4	1.2	○										○			○					
TCMW220408	22	12.7	4.76	5.5	0.8	○										○	○		○					

★ Recommended grade

● Available grade

○ Make-to-order

Applicable tool

